







CBX32M

Multi-position air handler



# Efficient by design

The Elite® Series CBX32M air handler is the ideal indoor component of your air conditioning or heat pump system. It works with the outdoor unit to blow conditioned air through the ducts and into every room of your home.

Designed with a high-efficiency, direct-drive blower motor and high-efficiency evaporator coil, the CBX32M provides efficient comfort all year long. That means you'll enjoy lower utility bills and greater comfort.

### Engineered for maximum dependability

The CBX32M air handler is both economical and durable. The blower compartment uses thick insulation to minimize operating sound and the cabinet is constructed of rugged, corrosion-resistant steel. Multiposition plastic drain pans also guard against corrosion, while preventing leaks and water damage.

#### Peace of mind

Like all of Lennox' products, the CBX32M undergoes thorough testing under the most demanding operating and environmental conditions to ensure its quality and reliability.



The CBX32M is protected by a 10-year limited warranty on all covered components.\*

## A high level of performance

A direct-drive blower motor makes the CBX32M quieter and more efficient than standard air handlers. It runs smoothly at higher speeds for an elevated level of comfort, with minimum operating sound and energy waste.

# The perfect match delivers maximum comfort

The Elite® Series CBX32M air handler performs at its best, delivering the highest possible level of efficiency and comfort, when combined with other Lennox® products in one system.



Elite Series XP14 Heat Pump

Reliable, energy-efficient home cooling and heating



Healthy Climate® Solutions

Industry-leading air filtration, dehumidification, whole-home ventilation and more



ComfortSense® 7000 Series Touchscreen Thermostat

Easy-to-use touch operation allows you to customize a temperature schedule for every day of the week with up to four time periods per day

\*Online equipment registration at www.lennoxregistration.com is required within 60 days of installation (except in California and Quebec) or Lennox' base warranty will apply. Applies to residential applications only. See actual warranty certificate for details.

### Elite® Series CBX32M



Optional Electric Heat – Provides supplemental heat for added comfort.

**Direct-Drive Blower Motor** – Delivers efficient cooling and heating.

Insulated Blower Compartment – Reduces sound for quiet operation. Meets strict requirements for less than 2% air leakage from the unit.

Corrosion-Resistant Cabinet – Offers long-lasting reliability with a durable, baked-on finish.

**High-Efficiency Evaporator Coil** – Provides exceptional heat transfer and efficiency.

Efficient Check and Expansion Device – Ensures highly efficient operation and is designed for use with non-ozone-depleting R410A refrigerant.

#### Elite® Series CBX32M Specifications

		-				
IV	lodel (	018/024	030	036	042	048/060
D	Pimensions HxWxD (in)	45-1/4 x 16-1/4 x 20-5/8	49-1/4 x 21-1/4 x 20-5/8	51 x 21-1/4 x 22-5/8	52-1/2 x 21-1/4 x 22-5/8	58-1/2 x 21-1/4 x 24-5/8
	HxWxD (mm)	1149 x 413 x 524	1251 x 540 x 524	1295 x 540 x 575	1334 x 540 x 575	1486 x 540 x 625

Note: Due to Lennox' ongoing commitment to quality, all specifications, ratings and dimensions are subject to change without notice.







For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit www.lennox.com.